

MATERIAL SAFETY DATA SHEET

| 1. | Identification of the substance and the company | | | | |
|----|---|---|--|--|--|
| | Name | : MEDIUM DENSITY EVA (A40) - NON-CLOGGING | | | |
| | Company | A ALGEO LTD. Sheridan House | | | |
| | | Speke Hall Road Liverpool L24 9HB | | | |

Emergency phone +44 (0)151 448 1228 Mon-Fri: 0900-1700

2. Composition /information on ingredients

| Material | | CAS No. | Weight by percent |
|----------------------------------|---|------------|-------------------|
| Ethylene Vinyl Acetate copolymer | : | 24937-78-8 | 20~25 % |
| Polyethylene | : | 9002-88-4 | 40~45 % |
| Calcium Carbonate | : | 471-34-1 | 25~30 % |
| Zinc oxide | : | 1314-13-2 | 1~3 % |
| Pigment(s) | | | 1~10% |

3. Hazard identification

The product is not hazardous to health or environment under normal use of product.

4 First-aid measures

No special measures required

5 Fire-fighting measures

Suitable extinguish media : Water spray, foam, CO₂, Dry powder In case of fire or smoldering, wear respiratory protection equipment.

6. Accidental release measures

No special measures required

7. Handling and storage

Store in a cool, dry place. Protection against fire.

During thermal processing, efficient ventilation in the working area is required.



| <i>8.</i> | Exposure controls/personal protection | | |
|-----------|---------------------------------------|--|--|
| | Engineering control | : The use of local exhaust ventilation is recommended. | |
| | Personal protection equipment | | |
| | Skin and body protection | : Gloves and protective clothing is recommended. | |
| | Eye protection | : Safety glasses are recommended to prevent eye contact. | |
| | Respiratory protection | : Use approved respiratory if unable to control the dust or fumes. | |

| 9. | Physical and chemical properties | | |
|----|----------------------------------|---|----------------------------|
| | Appearance | : | Sheets |
| | Colors | : | Assorted color |
| | Odor | : | Slight to negligible odor. |
| | Melting temperature | : | Not applicable |
| | Boiling temperature | : | Not applicable |
| | Vapor pressure | : | Not applicable |
| | Viscosity | : | Not applicable |
| | Density | : | 0.27 g/cm ³ |
| | Solubility in water | : | insoluble in water |
| | PH value | : | Not applicable |
| | Flash point | : | Not applicable |
| | Ignition temperature | : | Not applicable |

| 10 . | Stability and reactivity | | |
|-------------|----------------------------------|---|---|
| | Stability | : | Stable in ambient circumstance |
| | Hazardous decomposition products | 1 | Fumes may occur over 260°C . May include carbon dioxide, acetic acid, carbon monoxide, oxide of nitrogen. |

| 11. | 11. Toxicological information | | | |
|-----|-------------------------------|--------------------|--|--|
| | The product is not considered | as dangerous | | |
| | Effect on the skin | : No hazard likely | | |
| | Effect on the eyes | : No hazard likely | | |

12. Ecological information

The product is not considered as dangerous for the environment.

13. Disposal consideration

The product can be incinerated according to the local and national regulations



The product can be reused or recycled using proper technology

14. Transport information

No marking required according to EEC, DOT or other transport regulations

15. Regulatory information

No marking according to the EEC / CPSC regulations required

16. Other information

The information contained herein is based on the present state of our knowledge and experience. All information given are intended to describe our product with regard to the safety aspects and requirement.

This Material Safety Data Sheet does not guarantee any specific properties.